

## VII. 4 先端医療センター

### VII. 4.1 総合腫瘍科

1. Takeshita J, Masago K, Kato R, Otsuka K, Okuda C, Hata A, Kaji R, Fujita S, Takayama K, Kokubo M, Katakami N : A new strategy for metachronous primary lung cancer : stereotactic body radiation therapy with concurrent chemotherapy. *Anticancer Res* 35 : 3103–3107, 2015
2. Masago K, Fujimoto D, Fujita S, Hata A, Kaji R, Ohtsuka K, Okuda C, Takeshita J, Katakami N : Response to bevacizumab combination chemotherapy of malignant pleural effusions associated with non-squamous non-small-cell lung cancer. *Mol Clin Oncol* 3 : 415–419, 2015
3. Fujita S, Masago K, Takeshita J, Togashi Y, Hata A, Kaji R, Kokubo M, Katakami N : Multiple primary malignancies in patients with non-small cell lung cancer. *Intern Med* 54 : 325–331, 2015
4. Hata A, Katakami N, Yoshioka H, Takeshita J, Tanaka K, Masago K, Fujita S, Kaji R, Imai Y, Monden K, Matsumoto T, Nagata K, Otsuka K, Tachikawa R, Tomii K, Kunimasa K, Iwasaku M, Nishiyama A, Ishida T, Nishimura Y : Prognostic impact of central nervous system metastases after acquired resistance to EGFR-TKI : poorer prognosis associated with T790M-negative status and leptomeningeal metastases. *Anticancer Res* 35 : 1025–1031, 2015
5. Shintani T, Masago K, Takayama K, Ueki K, Kimino G, Ueki N, Kosaka Y, Imagumbai T, Katakami N, Kokubo M : Stereotactic Body Radiotherapy for Synchronous Primary Lung Cancer : Clinical Outcome of 18 Cases. *Clin Lung Cancer* 16 : e91–96, 2015
6. Takeshita J, Masago K, Kato R, Hata A, Kaji R, Fujita S, Katakami N : CT-guided fine-needle aspiration and core needle biopsies of pulmonary lesions : a single-center experience with 750 biopsies in Japan. *AJR Am J Roentgenol* 204 : 29–34, 2015
7. Masago K, Fujita S, Hata A, Kaji R, Ohtsuka K, Okuda C, Takeshita J, Katakami N : Clinicopathological factors affecting progression-free survival of patients with previously treated advanced non-small cell lung cancer after S-1 therapy with or without bevacizumab. *Anticancer Res* 34 : 7467–7472, 2014
8. Kaneda T, Hata A, Tomioka H, Tanaka K, Kaji R, Fujita S, Tomii K, Katakami N : Possible differential EGFR-TKI efficacy among exon 19 deletional locations in EGFR-mutant non-small cell lung cancer. *Lung Cancer* 86 : 213–218, 2014
9. Hata A, Katakami N, Masuda Y, Takashima K, Takeshita J, Tanaka K, Kaji R, Fujita S, Ose T, Kitajima N : Comparison of garenoxacin and levofloxacin for the prophylaxis of febrile neutropenia. *Gan To Kagaku Ryoho* 41 : 1119–1123, 2014
10. Shimizu R, Fujimoto D, Kato R, Otoshi T, Kawamura T, Tamai K, Matsumoto T, Nagata K, Otsuka K, Nakagawa A, Otsuka K, Katakami N, Tomii K : The safety and efficacy of paclitaxel and carboplatin with or without bevacizumab for treating patients with advanced nonsquamous non-small cell lung cancer with interstitial lung disease. *Cancer Chemother Pharmacol* 74 : 1159–1166, 2014
11. Hata A, Masago K, Katakami N, Imai Y, Yatabe Y : Spatiotemporal T790M heterogeneity in a patient with EGFR-mutant non-small-cell lung cancer. *J Thorac Oncol* 9 : e64–65, 2014
12. Hata A, Fujita S, Takayama K, Katakami N : Bevacizumab for critical brain metastases in a patient with pulmonary pleomorphic carcinoma. *Intern Med* 53 : 1813–1818, 2014
13. Hata A, Katakami N, Kitajima N : Successful cetuximab therapy after failure of panitumumab rechallenge in a patient with metastatic colorectal cancer : restoration of drug sensitivity after anti-EGFR monoclonal antibody-free interval. *J Gastrointest Cancer* 45 : 506–507, 2014
14. Takeshita J, Masago K, Fujita S, Hata A, Kaji R, Kawamura T, Tamai K, Matsumoto T, Nagata K, Otsuka K, Nakagawa A, Otsuka K, Tomii K, Shintani T, Takayama K, Kokubo M, Katakami N : Weekly administration of paclitaxel and carboplatin with concurrent thoracic radiation in previously untreated elderly patients with locally advanced non-small-cell lung cancer : A case series of 20 patients. *Mol Clin Oncol* 2 : 454–460, 2014

15. Fujimoto D, Ueda H, Shimizu R, Kato R, Otoshi T, Kawamura T, Tamai K, Shibata Y, Matsumoto T, Nagata K, Otsuka K, Nakagawa A, Otsuka K, Katakami N, Tomii K : Features and prognostic impact of distant metastasis in patients with stage IV lung adenocarcinoma harboring EGFR mutations : importance of bone metastasis. *Clin Exp Metastasis* 31 : 543–551, 2014

#### VII. 4.2 細胞治療科

1. Arima H, Ono Y, Tabata S, Matsushita A, Hashimoto H, Ishikawa T, Takahashi T : Successful allogeneic hematopoietic stem cell transplantation with reduced-intensity conditioning for B-cell prolymphocytic leukemia in partial remission. *Int J Hematol* 99 : 519–522, 2014
2. Kato A, Imai Y, Aoki K, Tabata S, Matsushita A, Hashimoto H, Takahashi T, Ishikawa T : Serum IgA level, monocyte count, and international prognostic index are independently associated with overall survival in patients with HTLV-I-negative nodal peripheral T cell lymphoma. *Ann Hematol* 93 : 1185–1191, 2014
3. Nishimori M, Takahashi T, Suzuki E, Kodaka T, Hiramoto N, Itoh K, Tsunemine H, Yarita K, Kamei K, Takegawa H, Takahashi T : Fatal fungemia with *Scedosporium prolificans* in a patient with acute myeloid leukemia. *Med Mycol J* 55 : E63–70, 2014
4. Hiramoto N, Kurosawa S, Tajima K, Okinaka K, Tada K, Kobayashi Y, Shinohara A, Inoue Y, Ueda R, Tanaka T, Kim SW, Yamashita T, Heike Y, Fukuda T : Positive impact of chronic graft-versus-host disease on the outcome of patients with de novo myelodysplastic syndrome after allogeneic hematopoietic cell transplantation : a single-center analysis of 115 patients. *Eur J Haematol* 92 : 137–146, 2014
5. 平本展大, 黒澤彩子 : 骨髓異形成症候群に対する同種造血幹細胞移植におけるGVL効果Graft-versus-leukemia effect in patients with myelodysplastic syndrome after allogeneic hematopoietic cell transplantation. *血液内科* 69 : 127–133, 2014
6. Kako S, Izutsu K, Kato K, Kim SW, Mori T, Fukuda T, Kobayashi N, Taji H, Hashimoto H, Kondo T, Sakamaki H, Morishima Y, Kato K, Suzuki R, Suzumiya J : Adult Lymphoma Working Group of the Japanese Society for Hematopoietic Cell Transplantation : The role of hematopoietic stem cell transplantation for relapsed and refractory Hodgkin lymphoma. *Am J Hematol* 90 : 132–138, 2015
7. Ochi Y, Hiramoto N, Takegawa H, Yonetani N, Doi A, Ichikawa C, Imai Y, Ishikawa T : Infective endocarditis caused by *Scedosporium prolificans* infection in a patient with acute myeloid leukemia undergoing induction chemotherapy. *Int J Hematol* 101 : 620–625, 2015
8. Ueda R, Fuji S, Mori S, Hiramoto N, Hashimoto H, Tanaka T, Tada K, Kobayashi Y, Morikawa N, Shinohara A, Okinaka K, Maeshima AM, Kurosawa S, Kim SW, Yamashita T, Fukuda T : Characteristics and outcomes of patients diagnosed with norovirus gastroenteritis after allogeneic hematopoietic stem cell transplantation based on immunochromatography. *Int J Hematol* 102 : 121–128, 2015

#### VII. 4.3 血管再生科

1. Fujita Y, Kawamoto A : Ninjurin1 – A novel regulator of angiogenesis mediated by pericytes –. *Circ J* 79 : 1218–1219, 2015
2. Kanaya K, Ii M, Okazaki T, Nakamura T, Horii-Komatsu M, Alev C, Akimaru H, Kawamoto A, Akashi H, Tanaka H, Asahi M, Asahara T : Sonic Hedgehog signaling regulates vascular differentiation and function in human CD34 positive cells : Vasculogenic CD34<sup>+</sup> cells with Sonic Hedgehog. *Stem Cell Res* 14 : 165–176, 2015
3. Kawakami Y, Ii M, Matsumoto T, Kuroda R, Kuroda T, Kwon SM, Kawamoto A, Akimaru H, Mifune Y, Shoji T, Fukui T, Kurosaka M, Asahara T : SDF-1/CXCR4 axis in Tie2-lineage cells including endothelial progenitor cells contributes to bone fracture healing. *J Bone Miner Res* 30 : 95–105, 2014
4. Masuda H, Tanaka R, Fujimura S, Ishikawa M, Akimaru H, Shizuno T, Sato A, Okada Y, Iida Y, Itoh J, Itoh Y, Kamiguchi H, Kawamoto A, Asahara T : Vasculogenic conditioning of peripheral blood mononuclear cells promotes endothelial progenitor cell expansion and phenotype transition of anti-inflammatory macrophage and T lymphocyte to cells with regenerative potential. *J Am Heart Assoc* 3 : e000743, 2014

5. Fukui T, Mifune Y, Matsumoto T, Shoji T, Kawakami Y, Kawamoto A, Ii M, Akimaru H, Kuroda T, Horii M, Yokoyama A, Alev C, Kuroda R, Kurosaka M, Asahara T : Superior potential of CD34-positive cells compared to total mononuclear cells for healing of nonunion following bone fracture. *Cell Transplant* 24 : 1379–1393, 2015
6. Nakamura T, Torimura T, Iwamoto H, Kurogi J, Inoue H, Hori Y, Sumie S, Fukushima N, Sakata M, Koga H, Abe M, Ikezono Y, Hashimoto O, Ueno T, Oho K, Okamura T, Okuda S, Kawamoto A, Ii M, Asahara T, Sata M : CD34<sup>+</sup> cell therapy is safe and effective in slowing the decline of hepatic reserve function in patients with decompensated liver cirrhosis. *J Gastroenterol Hepatol* 29 : 1830–1838, 2014
7. Fujita Y, Kinoshita M, Kawamoto A : Vascular and tissue regeneration by CD34<sup>+</sup> cells. *Pediatric Cardiology and Cardiac Surgery* 31 : 80–87, 2015
8. Kawamoto A, Fujita Y, Kinoshita M : Regulatory development of vascular regeneration therapy for no-option patients with critical limb ischemia. *J Jpn Coll Angiol* 54 : 115–122, 2014
9. Fujita Y, Kawamoto A : Cell-based therapies for peripheral arterial disease. *J Stem Cell Res Ther* 4 : 234, 2014 (doi:10.4172/2157-7633.1000234)
10. 藤田靖之, 木下 慎, 川本篤彦 : 【心血管再生医療はどこまで来たか】 CD34陽性細胞による血管再生療法. *循環器内科* 76 : 471–476, 2014

#### VII. 4.4 眼科

1. 栗本康夫 : 第2章 疫学と基礎 II 原発閉塞隅角の病態 A 瞳孔ブロック. ALL About原発閉塞隅角緑内障, 澤口昭一, 谷原秀信 編, 第1版, 医学書院, 東京, 48–54, 2014
2. 栗本康夫 : 第5章 緑内障眼における白内障手術 I 原発閉塞隅角症・原発閉塞隅角緑内障に対する白内障手術. ALL About原発閉塞隅角緑内障, 澤口昭一, 谷原秀信 編, 第1版, 医学書院, 東京, 230–241, 2014
3. 栗本康夫 : 閉塞隅角緑内障の画像診断. 専門医のための眼科診療クオリファイ24 前眼部の画像診断, 大鹿哲郎, 大橋裕一 シリーズ総編集, 前田直之 編, 初版, 中山書店, 東京, 298–306, 2014
4. 栗本康夫 : 浅前房・閉塞隅角眼の白内障手術適応. あたらしい眼科 31 : 1635–1636, 2014
5. 栗本康夫 : II 緑内障と白内障 【白内障編】 Q8 白内障と緑内障の同時手術の術式選択についてどのように考えたらよいのでしょうか? あたらしい眼科 31 : 80–81, 2014
6. 栗本康夫 : 加齢黄斑変性に対する再生医療の実際と可能性. あたらしい眼科 32 : 209–217, 2015
7. Matsuki T, Hirose F, Ito S, Hata M, Hirami Y, Kurimoto Y : Influence of anterior segment biometric parameters on the anterior chamber angle width in eyes with angle closure. *J Glaucoma* 24 : 144–148, 2015
8. Nongpiur ME, Khor CC, Jia H, Cornes BK, Chen LJ, Qiao C, Nair KS, Cheng CY, Xu L, George R, Tan D, Abu-Amero K, Perera SA, Ozaki M, Mizoguchi T, Kurimoto Y, Low S, Tajudin LS, Ho CL, Tham CC, Soto I, Chew PT, Wong HT, Shantha B, Kuroda M, Osman EA, Tang G, Fan S, Meng H, Wang H, Feng B, Yong VH, Ting SM, Li Y, Wang YX, Li Z, Lavanya R, Wu RY, Zheng YF, Su DH, Loon SC, Yong VK, Allingham RR, Hauser MA, Soumitra N, Ramprasad VL, Waseem N, Yaakub A, Chia KS, Kumaramanickavel G, Wong TT, How AC, Chau TN, Simmons CP, Bei JX, Zeng YX, Bhattacharya SS, Zhang M, Tan DT, Teo YY, Al-Obeidan SA, Hon do N, Tai ES, Saw SM, Foster PJ, Vijaya L, Jonas JB, Wong TY, John SW, Pang CP, Vithana EN, Wang N, Aung T : ABCC5, a gene that influences the anterior chamber depth, is associated with primary angle closure glaucoma. *PLoS Genet* 6 : e1004089, 2014
9. Zhao Y, Hosono K, Suto K, Ishigami C, Arai Y, Hikoya A, Hirami Y, Ohtsubo M, Ueno S, Terasaki H, Sato M, Nakanishi H, Endo S, Mizuta K, Mineta H, Kondo M, Takahashi M, Minoshima S, Hotta Y : The first USH2A mutation analysis of Japanese autosomal recessive retinitis pigmentosa patients : a totally different mutation profile with the lack of frequent mutations found in Caucasian patients. *J Hum Genet* 59 : 521–528, 2014

10. Cheng CY, Yamashiro K, Chen LJ, Ahn J, Huang L, Huang L, Cheung CM, Miyake M, Cackett PD, Yeo IY, Laude A, Mathur R, Pang J, Sim KS, Koh AH, Chen P, Lee SY, Wong D, Chan CM, Loh BK, Sun Y, Davila S, Nakata I, Nakanishi H, Akagi-Kurashige Y, Gotoh N, Tsujikawa A, Matsuda F, Mori K, Yoneya S, Sakurada Y, Iijima H, Iida T, Honda S, Lai TY, Tam PO, Chen H, Tang S, Ding X, Wen F, Lu F, Zhang X, Shi Y, Zhao P, Zhao B, Sang J, Gong B, Dorajoo R, Yuan JM, Koh WP, van Dam RM, Friedlander Y, Lin Y, Hibberd ML, Foo JN, Wang N, Wong CH, Tan GS, Park SJ, Bhargava M, Gopal L, Naing T, Liao J, Ong PG, Mitchell P, Zhou P, Xie X, Liang J, Mei J, Jin X, Saw SM, Ozaki M, Mizoguchi T, Kurimoto Y, Woo SJ, Chung H, Yu HG, Shin JY, Park DH, Kim IT, Chang W, Sagong M, Lee SJ, Kim HW, Lee JE, Li Y, Liu J, Teo YY, Heng CK, Lim TH, Yang SK, Song K, Vithana EN, Aung T, Bei JX, Zeng YX, Tai ES, Li XX, Yang Z, Park KH, Pang CP, Yoshimura N, Wong TY, Khor CC : New loci and coding variants confer risk for age-related macular degeneration in East Asians. *Nat Commun* 6 : 6817, 2015

#### VII. 4.5 耳鼻いんこう科

1. Shinohara S, Kikuchi M, Tona R, Kishimoto I, Harada H, Shimeno N : Eleven synchronous/metachronous primary carcinomas of the upper gastrointestinal tract : a case report. *Case Reports in Clinical Pathology* 1 : 159 – 162, 2014
2. Tona R, Shinohara S, Fujiwara K, Kikuchi M, Kanazawa Y, Kishimoto I, Harada H, Naito Y : Risk factors for retropharyngeal cellulitis in Kawasaki disease. *Auris Nasus Larynx* 41 : 455 – 458, 2014
3. Kikuchi M, Koyasu S, Usami Y, Imai Y, Hino M, Itoh K, Tona R, Kanazawa Y, Kishimoto I, Harada H, Naito Y : Prognostic value of pretreatment <sup>18</sup>F-fluorodeoxyglucose positron emission tomography/CT volume-based parameters in patients with oropharyngeal squamous cell carcinoma with known p16 and p53 status. *Head and Neck* 37 : 1524 – 1531, 2015 (doi:10.1002/hed.23784)
4. 岸本逸平, 篠原尚吾, 藤原敬三, 菊地正弘, 十名理紗, 金沢佑治, 原田博之, 内藤 泰, 宇佐美悠 : 眼窩内孤立性線維腫に対して術前動脈塞栓術を併施し外切開による摘出を行った1例. *日耳鼻* 117 : 1477 – 1482, 2014
5. Shinohara S, Kikuchi M, Suehiro A, Kishimoto I, Harada H : Is <sup>18</sup>F-fluorodeoxyglucose positron emission tomography/computed tomography helpful in the decision-making process for neck dissection in patients with T1-T2 lingual cancer? *Acta Otolaryngol* 135 : 181 – 186, 2015 (doi:10.3109/00016489.2014.975894)
6. Kishimoto I, Kikuchi M, Shinohara S, Fujiwara K, Kanazawa Y, Tona R, Harada H, Usami Y, Naito Y : A case of angiosarcoma arising from internal jugular vein. *Auris Nasus Larynx* 42 : 68 – 71, 2015 (doi:10.1016/j.anl.2014.08.018)
7. Shinohara S, Kikuchi M, Suehiro A, Kishimoto I, Harada H, Hino M, Ishihara T : Characteristics and prognosis of patients with thyroglobulin-positive and radioactive iodine whole-body scan-negative differentiated thyroid carcinoma. *Jpn J Clin Oncol* 45 : 427 – 432, 2015 (doi:10.1093/jjco/hyv021)
8. Kikuchi M, Shinohara S, Hino M, Itoh K, Tona R, Kishimoto I, Harada H, Fujiwara K, Suehiro A, Naito Y : Detection of subclinical recurrence or second primary cancer using <sup>18</sup>F-FDG PET/CT in patients treated curatively for head and neck squamous cell carcinoma. *Head Neck*, 2015 Mar 17 [Epub ahead of print] (doi:10.1002/hed.24032)
9. 岸本逸平, 内藤 泰 : 内耳・その他 先天性高度感音難聴 – 内耳奇形. *子どもを診る 高齢者を診る 耳鼻咽喉科外来診療マニュアル*, 山唄達也 編, 第1版, 中山書店, 東京, 95 – 104, 2014

#### VII. 4.6 放射線治療科

1. Akimoto M, Nakamura M, Mukumoto N, Yamada M, Tanabe H, Ueki N, Kaneko S, Matsuo Y, Monzen H, Mizowaki T, Kokubo M, Hiraoka M : Baseline correction of a correlation model for improving the prediction accuracy of infrared marker-based dynamic tumor tracking. *Journal of Applied Clinical Medical Physics* 16 : 4896, 2015
2. Nakamura M, Akimoto M, Mukumoto N, Yamada M, Tanabe H, Ueki N, Matsuo Y, Mizowaki T, Kokubo M, Hiraoka M : Influence of the correlation modeling period on the predictive accuracy of infrared marker-based dynamic tumor tracking using the gimbaled x-ray head of the Vero4DRT. *Physica Medica : European Journal of Medical Physics* 31 : 204 – 209, 2015

3. Fujita S, Masago K, Takeshita J, Togashi Y, Hata A, Kaji R, Kokubo M, Katakami N : Multiple primary malignancies in patients with non-small cell lung cancer. *Internal Medicine* 54 : 325 – 331, 2015
4. Ishihara Y, Sawada A, Nakamura M, Miyabe Y, Tanabe H, Kaneko S, Takayama K, Mizowaki T, Kokubo M, Hiraoka M : Development of a dose-verification system for Vero4DRT using Monte Carlo method. *Journal of Applied Clinical Medical Physics* 15 : 4961, 2015
5. Ono T, Miyabe Y, Yamada M, Yokota K, Kaneko S, Sawada A, Monzen H, Mizowaki T, Kokubo M, Hiraoka M : Development of an expanded-field irradiation technique using a gimbaled x-ray head. *Medical Physics* 41 : 101706, 2015
6. Matsuo Y, Ueki N, Takayama K, Nakamura M, Miyabe Y, Ishihara Y, Mukumoto N, Yano S, Tanabe H, Kaneko S, Mizowaki T, Monzen H, Sawada A, Kokubo M, Hiraoka M : Evaluation of dynamic tumour tracking radiotherapy with real-time monitoring for lung tumours using a gimbal mounted linac. *Radiotherapy and Oncology* 112 : 360 – 364, 2014
7. Mizowaki T, Aoki M, Nakamura K, Yorozu A, Kokubo M, Karasawa K, Kozuka T, Nakajima N, Sasai K, Akimoro T : Current status and outcomes of patients developing PSA recurrence after prostatectomy who were treated with salvage radiotherapy : a JROSG surveillance study. *Journal of Radiation Research* 56 : 750 – 756, 2015
8. Matsuo Y, Verellen D, Poels K, Mukumoto N, Depuydt T, Akimoto M, Nakamura M, Ueki N, Engels B, Collen C, Kokubo M, Hiraoka M, de Ridder M : A multi-centre analysis of treatment procedures and error components in dynamic tumour tracking radiotherapy. *Radiotherapy and Oncology* 115 : 412 – 418, 2015
9. Shintani T, Masago K, Takayama K, Ueki K, Kimino G, Ueki N, Kosaka Y, Imagumbai T, Katakami N, Kokubo M : Stereotactic body radiotherapy for synchronous primary lung cancer : clinical outcome of 18 cases. *Clinical Lung Cancer* 16 : e91 – 96, 2015
10. Hata A, Fujita S, Takayama K, Katakami N : Bevacizumab for Critical Brain Metastases in a Patient with Pulmonary Pleomorphic Carcinoma. *Internal Medicine* 53 : 1813 – 1818, 2014

#### VII. 4.7 PET診療部

1. Nishio M, Matsumoto S, Seki S, Koyama H, Ohno Y, Fujisawa Y, Sugihara N, Yoshikawa T, Sugimura K : Emphysema quantification on low-dose CT using percentage of low-attenuation volume and size distribution of low-attenuation lung regions : effects of adaptive iterative dose reduction using 3D processing. *Eur J Radiol* 83 : 2268 – 2276, 2014
2. Koyama H, Ohno Y, Seki S, Nishio M, Yoshikawa T, Matsumoto S, Maniwa Y, Itoh T, Nishimura Y, Sugimura K : Value of diffusion-weighted MR imaging using various parameters for assessment and characterization of solitary pulmonary nodules. *Eur J Radiol* 84 : 509 – 515, 2015
3. Nishio M, Matsumoto S, Tsubakimoto M, Nishii T, Koyama H, Ohno Y, Sugimura K : Paired inspiratory/expiratory volumetric CT and deformable image registration for quantitative and qualitative evaluation of airflow limitation in smokers with or without copd. *Acad Radiol* 22 : 330 – 336, 2015
4. Nishio M, Kono A, Koyama H, Nishii T, Sugimura K : Tumor segmentation on FDG-PET : usefulness of locally connected conditional random fields. *Proc.SPIE* 9413 : 94133, 2015

#### VII. 4.8 放射線技術科

1. Akamatsu G, Uba K, Taniguchi T, Mitsumoto K, Narisue A, Tsutsui Y, Sasaki M : Impact of time-of-flight PET/CT with a large axial field of view for reducing whole-body acquisition time. *J Nucl Med Technol* 42 : 101 – 104, 2014
2. Tsutsui Y, Kidera D, Taniguchi T, Akamatsu G, Komiya I, Umezu Y, Kitamura Y, Baba S, Sasaki M : Accuracy of amplitude based respiratory gating for PET/CT in irregular respirations. *Ann Nucl Med* 28 : 770 – 779, 2014
3. 三輪建太, 赤松 剛, 筒井悠治, 光元勝彦, 坂口裕一, 我妻 慧, 佐々木雅之 : FDG-PET/CTの呼吸制御に関する研究. *日本放射線技術学会雑誌* 70 : 1344 – 1352, 2014

4. Taniguchi T, Akamatsu G, Kasahara Y, Mitsumoto K, Baba S, Tsutsui Y, Himuro K, Mikasa S, Kidera D, Sasaki M : Improvement in PET/CT image quality in overweight patients with PSF and TOF. *Ann Nucl Med* 29 : 71–77, 2015
5. Mikasa S, Akamatsu G, Taniguchi T, Kidera D, Kihara K, Matsuoka K, Amakusa S, Yoshida T, Sasaki M : Standardization of dual time point [<sup>18</sup>F] 2-deoxy-2-fluoro-D-glucose-positron emission tomography performed with different positron emission tomography scanners using partial volume correction. *Research and Reports in Nuclear Medicine* 5 : 1 – 7 , 2015